

Tools for Field Testing TTYs with Wireless Telephones

Version 1.0

May 24, 2001



This project is supported by the National Institute on Disability and Rehabilitation Research through Grant No. H133E 99006-00, a Rehabilitation Engineering Research Center on Telecommunications Access.

Table of Contents

Overview -----	1
Equipment -----	2
TTYs -----	2
Equipment list for the mobile side -----	3
Equipment list for the landline side -----	3
Where to buy -----	3
Software -----	4
Scripts -----	4
Instructions for equipment set-up -----	4
Intel-Modem and NXi 300/370vi or 300ve -----	4
Modified Compact TTY -----	5
Wireless cable -----	5
Laptop serial cable -----	5
Basic operations -----	5
Data Collection -----	6
Mobile side procedure -----	6
CONDITIONS Screen -----	7
DEVICES Screen -----	8
CALL FUNCTIONS Screen -----	8
FILES Screen -----	9
Landline side Procedure -----	10
CONDITIONS Screen -----	10
DEVICES Screen -----	11
CALL FUNCTIONS Screen -----	11
FILES Screen -----	12
Placing the Call -----	13
Scoring -----	13
Appendix A: Codebook for Mobile TTY Test Software Log File (in Excel) -----	15
Appendix B: Scripts -----	17
Appendix C: Testing with the Ameriphone Q90 TTY -----	25

Tools for Field Testing TTYs with Wireless Telephones

Gallaudet University Technology Access Program

Project: RERC on Telecommunications Access

Version 1.0 May 24, 2001

Overview

This document describes tools that were developed at Gallaudet University to support field studies of TTY transmission over digital wireless telephones. They are being distributed to the TTY Forum in the hope that they may be of some use to companies testing TTY over wireless networks in field conditions. This is not a test plan, but simply some tools for testing.

The tools permit semi-automated data collection in mobile conditions. A laptop or notebook computer is attached by serial cable to a model of TTY that consumers would typically use for wireless telephone conversation.

Using the data collection software, Mobile TTY Test Software, the tester can launch bi-directional scripts, which will alternate sides automatically after the GA characters. The text passes via serial connection to the TTY and then via audio connection to the handset. Incoming text is captured from the TTY by the laptop.

Data on call conditions can be entered into the data collection software, and these conditions along with a time stamp are saved into a database format suitable for import to Excel or similar software. The software separates the two sides of the conversation for separate scoring of each side. This is done to assist in diagnosis of errors.

SCORE by Lober and Walsh (licensed for use by the TTY Forum in testing TTY over wireless telecommunications), and CTM_SCORE (from 3GPP TS 26.231 CTM Minimum Performance Specification) are supported; a utility program provided in the Gallaudet package runs both scoring programs and integrates the output with data on call conditions supplied by the tester.

Wireless-to-wireline or wireless-to-wireless calls are supported, depending on the number of modified TTYs available (two are needed for wireless-to-wireless calls).

Test scripts are provided. The scripts are intended to represent natural conversations of the type consumers will have using TTY over wireless telephones.


The set-up is straightforward. The documentation is written in (excruciating) detail so that even a non-engineer can do the set-up.

Documentation, software, scoring programs, and scripts are available at:
<http://tap.gallaudet.edu/TTYtools>.

Equipment

The basic set-up is depicted in the figures below.

Landline Side



Mobile Side



TTYs

These testing tools are designed to be used with either the modified Compact TTY by Ultratec, Inc. or the Ameriphone Q90. The procedures for using the modified Compact TTY are much more streamlined than for using the Q90 due to differences in these devices. **This documentation is written for using the modified Compact TTY. Procedures for using the Q90 are in Appendix C.** The Compact must be modified for serial input/output. Ultratec is willing to modify its Compact for a fee¹. Contact Ultratec for more information: (608) 238-5400. The Ameriphone Q90 can be attached to the laptop via parallel connection using a parallel-to-serial converter. This will permit capture of the Q90's data, but it does not permit auto-send of

¹ Information from Ultratec: As of May, 2001 Ultratec is willing to modify the following product for use in cellular testing.

PN	Description	Lead Time	Cost
600-001600	Compact/C for Test	2-4 Weeks	\$429

The modified Compact will be updated to match TSB-121. The 2.5mm connection will meet TSB-121 requirements. Ultratec will also provide software with the modem to help automate the sending and receiving of files in the different communication modes (including Turbo Code).

data from the laptop; typing of messages would be required of the tester. A separate keyboard-input is not available for this device. (See Appendix C for extra procedures required.)

On the landline side, the Intel-Modem² and NXi 300/370 modem can be used for automatic data capture.

(For information on testing with 9-1-1 TTY equipment, contact Toni Dunne³.)

Equipment list for the mobile side:

- One 100 MHz (or faster) laptop PC with a serial port and good battery life
- Windows operating system (Win 9x, NT4, or Win2000)
- Ultratec's modified Compact TTY w/ serial interface
- Wireless phone
- Wireless phone service
- 2.5mm jack adapter if not standard on the phone (equipment specific)
- 2.5mm cable for TTY (provided by TTY manufacturer)
- USB-to-serial converter (needed only if laptop lacks a serial port)
- Batteries for TTYs and phones

Equipment list for the landline side:

- One 100 MHz (or faster) laptop PC with a serial port
- Windows operating system (Win 9x, NT4, or Win2000)
- TTY Modem: NXi 300/370v TTY modem or Ultratec's Intel-Modem
- Analog telephone line
- Analog telephone for handset operations
- RJ11 cables for each direct connection device
- USB-to-serial converter (if laptop lacks a serial port)

Where to buy:

- Ameriphone www.ameriphone.com
- Ultratec www.ultratec.com
- NXi 300/370vi modem: www.nxicom.com
- Parallel to serial converter: www.mctech.com
- USB to serial converter: www.bafo.com

² The consumer version of this product is the one currently supported by this software.

³ Contact Toni Dunne at 512-291-8160, tdunne@positron911.com

Software

The programs included in this package run under Windows (Win 9x, NT4, or Win2000). Four software programs, three test script files and documentation are included in this package. Each file should be copied to a subdirectory on the hard drives of the computers that will be used on each side of the test:

1. Data Capture (ttycapture.exe)
2. Error-Rate Assessment (analyzer.exe)
3. Score (DOS) by Lober and Walsh (score.exe)
4. CTM_SCORE (DOS) (ctm_score.exe)
5. Script files (Fast typist v1.txt, Long script v1.txt, Slow typist v1.txt)
6. Documentation (WTTY Field Tools Documentation.pdf)

These are available for free download at: <http://tap.gallaudet.edu/TTYtools>.

Scripts

Several scripts are provided in this package, however any script can be used with the system.⁴

- Fast typist v1.txt is a 2,000-character file that is sent at full speed but with a few natural pauses inserted.
- Slow typist v1.txt is the same script but emulating half-speed (~30 wpm) typing.
- Long script v1.txt is a longer series of conversations at slow and full typing speeds.

Note: Both computers must use the same script on a call for proper scoring.

The scripts contain conversational text and are designed to approximate real conversations. They have the advantage that the tester can eyeball what is happening in the field and see where problems may occur by reading the received text. They are not, of course, intended for pattern testing. Note that the “~” character represents a one-character delay.

Instructions for Equipment Set-Up

Intele-Modem and NXi 300/370vi or 300ve

The **Intele-Modem** is an external TTY modem and is easy to set up.

1. Plug a phone line from the LINE jack on the back of the modem to an analog phone jack, usually located on a wall.
2. Place the serial cable (9 pin male to either 9 or 25 pin female) between the modem and computer.
3. Make a note of the port number.
4. Plug the modem into an electrical socket.
5. Turn on the modem using the power switch on the back of modem.

⁴ If you use scripts other than those provided, you must include line breaks at the end of each line of text for the program to run properly.

The **NXi 300/370vi or 300ve** modem is available in two models, External and Internal. If the modem is an internal model, follow the manufacturer's installation instructions. If it is an external model:

1. Plug a phone line from the LINE jack on the back of the modem to an analog phone jack, usually located on a wall.
2. Place a serial cable (25 pin male to either 9 or 25 pin female) between the modem and computer.
3. Make a note of the port number.
4. Plug the modem into a power source.
5. Turn on the modem using the power switch on the back of modem.

Modified Compact TTY

❑ Check that all items are present:

- ❑ Compact TTY and its AC adapter
- ❑ Five AA rechargeable or regular alkaline batteries
- ❑ Black Compact TTY 2.5mm audio phone cable (one end has a larger sized plug)
- ❑ Computer serial cable (9 female pins to 9 male pins)
- ❑ Wireless phone with 2.5mm audio jack (built-in or via adapter).

❑ WIRELESS CABLE:

Locate the black Compact TTY audio cable that ends in two plugs. Insert the larger plug into the Compact TTY's wireless jack. Plug the other end of the cable into the wireless phone's 2.5mm jack (or handsfree adapter).

❑ LAPTOP SERIAL CABLE:

Find the standard computer serial cable. Plug the male end into the Compact TTY's serial port. Plug the other end of the serial cable into the laptop's serial port.


❑ BASIC OPERATIONS:

Press the ON/OFF button located at the top left corner of the keyboard to turn the device on and off. [Note that the TTY will turn itself off after two minutes of non-use as an energy saving feature.] Turn off Turbo Code (Ctrl+). Once turned off, Turbo Code will remain off unless there is a loss of power supply (e.g., dead battery). After lost power is restored the TTY will default back to Turbo Code.

Data Collection

Mobile Side Procedure:

1. Synchronize the clock settings on the mobile and landline PCs. (Simply adjust the time setting until both are the same.) The time setting will be used to automatically name the data files.
2. Connect the mobile TTY to both a wireless phone and a laptop.
3. Double click on the TTYcapture.exe file to launch the program. The following screen will appear:



CONDITIONS SCREEN

1. Click on the CONDITIONS button. The following screen will appear:

The screenshot shows the 'Mobile TTY Test Software - Version 1.0' window. The 'Conditions' tab is selected. The interface includes several sections: 'General Info' with fields for User, Location, Network Info, Cable ID, Phone Model, and Trans. Tech; 'Signal Strength' with radio buttons for Strong, Medium, Weak, and a blank field; 'Test type on this end' with radio buttons for various call types; and 'Call direction on this end' with radio buttons for Outgoing and Incoming calls. There are 'Don't Save' and 'Save this call' buttons. At the bottom, there are tabs for Conditions, Devices, Call Functions, Files, and About. A status bar shows 'Clear Screen', a timestamp '5/22/2001 3:04:03 PM', and 'Start Call' and 'End Call' buttons.

General Info:		Signal Strength:
User:		<input checked="" type="radio"/> Strong
Location:		<input type="radio"/> Medium
Network Info:		<input type="radio"/> Weak
Cable ID:		<input type="radio"/>
Phone Model:		
Trans. Tech:		

Test type on this end:	
<input checked="" type="radio"/> Wireless: Static Direct Call	<input type="radio"/> Wireless: Relay Calls (Non-Motion)
<input type="radio"/> Wireless: In-Motion Direct Call	<input type="radio"/> Landline Calls (Direct connection)
<input type="radio"/> Wireless: Relay Calls (Motion)	<input type="radio"/> Landline Calls (Acoustic)

Call direction on this end:	
<input checked="" type="radio"/> Outgoing Call	<input type="radio"/> Incoming Call

Don't Save Save this call


Conditions Devices Call Functions Files About

Clear Screen 5/22/2001 3:04:03 PM Start Call End Call

2. Fill in the fields in the GENERAL INFO section. Use your mouse or the TAB key on your keyboard to move from one line to the next.
3. Choose a SIGNAL STRENGTH. Note that another variable can be manually entered in the blank yellow field to fill in a specific value.
4. Choose the type of call that will be made with the wireless phone from the TEST TYPE ON THIS END box. One of the WIRELESS options should be selected.
5. If the mobile side is initiating the call, click on OUTGOING CALL in the CALL DIRECTION ON THIS END box.

DEVICES SCREEN


Click on the DEVICES button, and the following screen will appear:



Select the type of modem you are using, and the Serial Port. (Grayed-out serial ports indicate unavailability.)

CALL FUNCTIONS SCREEN

1. Click on the CALL FUNCTIONS button. The following screen will appear.




2. Leave the MODEM FUNCTIONS section blank, since the call will be made from the wireless phone.
3. Click on AUTO SAVE CALLS TO LOG FILE and AUTO END CALLS. AUTO SAVE CALLS will automatically save your data file to a log file. Clicking on AUTO END CALLS will end the recording after 30 seconds of inactivity.
4. Under SCRIPT FUNCTIONS, click on AUTO SEND. This will run the script on the Mobile side automatically.
5. CONVERSATION TURN allows the tester to monitor call progress. It indicates the current turn in the script.

Note: If you end a call by clicking End Call (i.e., if you do not use auto-save), you will be returned to the CONDITIONS screen. Click on SAVE (to save the call data) or DON'T SAVE.

FILES SCREEN

1. Click on the FILES button, and the following screen will appear:



2. Click on BROWSE at the top and locate the script file. Click on VIEW FILE to verify. Be sure that both computers are using the same script file.
3. Choose the location where you would like to save the captured data file. The file name path will be displayed under the box.
4. Enter a unique identifying text string (up to 8 characters) for the computer you are using.
5. The system will name the file [Date-Time-ComputerID].txt.

Landline Side Procedure:

1. Synchronize the clock settings for the mobile and landline PCs. The time setting will be used to automatically name the data files.
2. Connect the landline TTY to both the phone and the laptop. Refer to the **Instructions for Equipment Set-Up** if necessary.
3. Double click on the TTYcapture.exe file to launch the program.

CONDITIONS SCREEN


1. Click on the CONDITIONS button. The following screen will appear:

If a landline call is selected, the last 3 lines in GENERAL INFO will be hidden.

2. Fill in the information requested in the GENERAL INFO section. Use your mouse or the TAB key to move from line to line.
3. Click on LANDLINE CALLS (DIRECT CONNECTION) in the TEST TYPE ON THIS END section.
4. Click on INCOMING CALL in the CALL DIRECTION ON THIS END box.

DEVICES SCREEN


Click on the DEVICES button, and the following screen will appear:



Select the type of modem you are using, and the Serial Port.

CALL FUNCTIONS SCREEN

1. Click on the CALL FUNCTIONS button. The following screen will appear.




2. MODEM FUNCTIONS: If initiating a modem call, type in the number to call, and click Dial Now when ready. If receiving a call, you may click AUTO ANSWER & START SCRIPT, or simply ANSWER for manual operation.
3. Click on AUTO SAVE CALLS TO LOG FILE and AUTO END CALLS. AUTO SAVE CALLS will automatically save your data file to a log file. Selecting AUTO END CALLS will end the recording after 30 seconds of inactivity.
4. Under SCRIPT FUNCTIONS, click on AUTO SEND. This will run the script on the Landline side automatically.

CONVERSATION TURN allows the tester to monitor call progress. It indicates the current turn in the script.

FILES SCREEN

1. Click on the FILES button. The following screen will appear.



2. Type in the location of the script file you wish to use.
3. Choose the location where you would like to save the captured data file. The file name path will be displayed under the box.
4. Enter a unique identifying text string (up to 8 characters) for the computer you are using.
5. The system will name the file [Date-Time-ComputerID].txt.


Placing the Call

Be sure the mobile side and the land line side are correctly set up before placing the call.

1. Place the TTY call using the wireless phone by dialing the number of the landline phone.
2. Start the data capture recording by clicking the START CALL button. If the TTY device is the modified Compact TTY, the conversation will proceed automatically without user intervention.⁵
3. Wait until script is executed.
4. If you did NOT choose AUTO END CALLS on the CALL FUNCTIONS screen, click on the END CALL button.
5. Update any field information on the CONDITIONS screen.
6. If you did not choose AUTO SAVE CALL, on the CALL FUNCTIONS screen, click on the SAVE THIS CALL button.

Scoring

1. To use, make sure the ANALYZER.EXE, SCORE.EXE, and CTM_SCORE.EXE programs have been copied onto a subdirectory on the hard drive of the computer you will be using to score the data.
2. Then double click on the ANALYZER.EXE file in Windows Explorer. The following screen should appear:



⁵ If the TTY device is the Q90, after each conversational turn, the tester will need to press the SEND button on the CALL FUNCTIONS screen. The tester will be required to manually type in their side of the script. At the end of each turn, the user must click on OK to simulate a conversation turn. This must be repeated until the script is completed

3. Copy all captured files from both sides into a single directory. (This is not necessary if both computers are networked and all captured files are accessible to the computer running the scoring program.) These are identified by [Date] [Time] and [Computer ID].
4. Click on the PC#1 File button.
5. Choose the data file you wish to score from the PC#1 side and click OPEN.
6. Click on the PC#2 File button.
7. Choose the data file you wish to score from the PC#2 side and click OPEN. Be sure the two files match in [Date], are very close in [Time], and that [Computer ID] matches the computers used.
8. You may wish to review the captured files in the scroll window to assure that you will be scoring the correct files. You will notice that some special characters have been inserted to represent backspaces, line feeds, and carriage returns. They will be restored to their original character form before giving the file to the score programs for proper evaluation.
9. Click on the OUTPUT FILENAME button.
10. Select either an existing Excel file or type a new filename such as C:\RESULTS.XLS. Existing Excel files will not be overwritten, but additional data will be added to them in new rows.
11. Click on SCORE NOW. This will launch the scoring programs.
12. The results of the eight scores will be displayed in the Excel output window. The scores can now be examined by using Microsoft Excel or a compatible spreadsheet program. The data from one PC will be in a single row, and data from the other PC in the row below it.

Note: The analyzer program will filter CR/LF characters (Carriage Return/Line Feed) before passing data to the scoring programs. This compensates for automatic CR/LF insertions by some TTYs.

Appendix A

Codebook for Mobile TTY Test Software Log File (in Excel)

Note: The Two-Way Error Scoring software dumps data into an Excel file on the local computer. Repeated calls are added to that Excel file (unless the filename is changed). The file contains identifying information about the call conditions, devices, and other information, plus scores from Lober and Walsh SCORE and the CTM scoring program.

Note that scoring requires that the file output from *both* sides be present on the same computer, because the scoring programs compare the characters AS SENT with the characters AS RECEIVED.

Variables in Excel log file:

Col.	Variable name	Description
A	Local Computer ID	Identifier given by tester for the local computer (on Files screen)
B	Remote Computer ID	Identifier given by tester for the remote computer (on Files screen)
C	Start Date	Date call began (automatic)
D	Start Time	Time call began (automatic)
E	End Date	Date call ended (automatic)
F	End Time	Time call ended (automatic)
G	Seconds	Duration of call (automatic)
Scores of data received on local computer per Lober and Walsh Score program and CTM Scoring Program 3GPP TS 26.231 CTM Minimum Performance Specification. Tester must run Two-Way Error Scoring program to get these data.		
H	PCER %	Printed character error rate on local side of conversation
I	CCER %	Consumer character error rate ⁶ on local side of conversation
J	TCER %	Total character error rate ⁷ on local side of conversation
K	CTM %	CTM error rate on local side of conversation
Breakdown of results:		
L	PCER total	Total printable characters
M	PCER correct	Number of printable characters correct
N	PCER added	Number of printable characters added
O	PCER missed	Number of printable characters missed
P	PCER changed	Number of printable characters changed
Q	CCER total	Total CCER characters
R	CCER correct	Number of CCER characters correct

⁶ CCER generates a fixed penalty for shift-character errors, rather than counting the propagation of all errors that may result from this single error

⁷ Includes hidden characters in computation

S	CCER added	Number of CCER characters added
T	CCER missed	Number of CCER characters missed
U	CCER changed	Number of CCER characters changed
V	TCER total	Total characters (including hidden characters)
W	TCER correct	Number of characters (including hidden characters) correct
X	TCER added	Number of characters (including hidden characters) added
Y	TCER missed	Number of characters (including hidden characters) missed
Z	TCER changed	Number of characters changed
AA	CTM total	Total characters per CTM program
AB	CTM changed	Number of characters changed per CTM program
Call Conditions and Devices:		
AC	Call Type	Values = Wireless Static, Wireless In-Motion, Wireless Relay (Motion), Wireless Relay (Stationary), Landline (direct connection), Landline (acoustic connection)
AD	Direction	Values = Incoming or Outgoing
AE	Signal	Values = Strong, Medium, Weak, or user definable
AF	User Name	Tester name or ID
AG	Location	Location of call, this side
AH	Network Info	Available for tester notation
AI	Device	Type of TTY or TTY modem, this side Values = Ultratec Compact TTY, Ameriphone Q90, Nxi 300 vi modem, Ultratec Intel-Modem
AJ	Port	Communication port # used on local computer
AK	Dial	Number dialed
AL	Cable ID	Type of cabling used to connect to TTY
AM	Phone Model	Model of phone tested
AN	Phone Tech	Insert type of technology used in test (e.g., CDMA, TDMA, GSM, iDEN, or other information such as type of switch, etc.)
AO	Script done	Was the script completed? Values = Yes or No (automatic)
AP	Local File	Location in which local file is stored, and file name at time of capture
AQ	Remote File	Location in which remote file is stored, and file name at time of capture
AR	Script File	Location and file name of script used at time of capture

Appendix B

Three scripts are reproduced in this appendix for reference. They are: fast typist v1.txt, slow typist v1.txt, and long script v1.txt.

(fast typist v1.txt)

BEGIN TTY FAST TYPIST SCRIPT GA

911 POLICE AND FIRE GA

I HIT A TREE WITH MY CAR ~~~~MY FRIEND IS HURT SEND HELP PLS GA

WHAT IS YOUR ADDRESS? GA

I AM CALLING ON A CELL PHONE TTY I'M ON A ROAD GA

WHAT IS THE NAME OF THE HIGHWAY? GA

ROUTE 424 GA

OK ROUTE 424...~~~~~ WHERE ON 424?~~~~~ DO YOU SEE ANY STREET NAMES OR LANDMARKS? GA

NO ~~~~I WAS ON ROUTE 50 AND GOT OFF AT 424 ~~~~~~AND I AM ABOUT TWO MILES AWAY FROM ROUTE 50 GA

ARE YOU NORTH OR SOUTH OF ROUTE 50 GA

I DON'T KNOW ~~~~~~MY FRIEND IS HURT GA

OK I AM SENDING POLICE AND AMBULANCE TO ROUTE 424 NEAR ROUTE 50
~~~~~IS YOUR FRIEND CONSCIOUS AND BREATHING? GA

HE IS BLEEDING AND STUCK IN THE CAR GA

911 POLICE AND FIRE GA

HELLO I AM IN MY CAR AND HAD TO PULL OVER AS MY RIGHT LEG IS FEELING NUMB AND I CAN'T DRIVE ~~~~~~I THINK I NEED HELP FROM A DOCTOR GA

WHERE ARE YOU LOCATED? GA

I'M IN THE 4300 BLOCK OF FALLS ROAD NEAR A 7-11 STORE GA

OK~~~~ 4300 BLOCK OF FALLS RD, ~~~~~~WHAT KIND OF CAR ARE YOU DRIVING? GA

IT IS A 1993 NISSAN 300 ZX GA

WHAT COLOR? GA

BLUE GA

I AM SENDING AN AMBULANCE NOW~~~~~ DO YOU HAVE A HISTORY OF THIS TYPE OF HEALTH PROBLEM Q GA

I HAD A STROKE LAST YEAR ~~~~BUT WAS FINE AFTER ABOUT A WEEK GA

OK STAY CALM AND TRY TO RELAX GA

OK SK

AMERICAN AIRLINES~~~~~ HOW CAN I HELP YOU Q GA

HELLO I AM STUCK IN TRAFFIC AND WILL MISS MY 7:30 A.M. FLIGHT TO DALLAS  
~~~~~I NEED TO RESCHEDULE GA

OK, ~~~~WHERE ARE YOU DEPARTING FROM? GA

DULLES AIRPORT~~~~ IN WASHINGTON DC GA

WHAT IS YOUR NAME PLS? GA

BRAD MURPHY GA

OK MR MURPHY, I CAN REBOOK YOU ON AA FLIGHT 1587 LEAVING DULLES FOR
DALLAS AT 10:45 AM TODAY ~~~~~~YOU WOULD HAVE TO PAY A \$50
PENALTY AND THE FARE FOR THE NEW FLIGHT IS \$125 MORE THAN THE
ORIGINAL FLIGHT... ~~~~~~SO YOU WILL NEED TO PAY THE ADDITIONAL \$175
WHEN YOU GET TO THE AIRPORT GA

HMMM... ~~~~~~OK WELL I HAVE NO CHOICE SO PLS GO AHEAD AND
BOOK THE NEW FLIGHT GA

I HAVE CHANGED YOUR RESERVATION AND THANK YOU FOR CALLING
AMERICAN AIRLINES GA

THANK YOU VERY MUCH BYE SKSK

END TTY FAST TYPIST SCRIPT SK

(slow typist v1.txt)

B~E~G~I~N~ ~T~T~Y~ ~S~L~O~W~ ~T~Y~P~I~S~T~ ~S~C~R~I~P~T~G~A~

9~1~1~ ~P~O~L~I~C~E~ ~A~N~D~ ~F~I~R~E~ ~G~A~

I~ ~H~I~T~ ~A~ ~T~R~E~E~ ~W~I~T~H~ ~M~Y~ ~C~A~R~ ~~~~~M~Y~ ~F~R~I~E~N~D~ ~I~S~
~H~U~R~T~ ~ ~ ~S~E~N~D~ ~H~E~L~P~ ~P~L~S~ ~G~A~

W~H~A~T~ ~I~S~ ~Y~O~U~R~ ~A~D~D~R~E~S~S~?~ ~G~A~

I~ ~A~M~ ~C~A~L~L~I~N~G~ ~O~N~ ~A~ ~C~E~L~L~ ~P~H~O~N~E~ ~T~T~Y~ ~ ~I~'~M~ ~O~N~
~A~ ~R~O~A~D~ ~G~A~

W~H~A~T~ ~I~S~ ~T~H~E~ ~N~A~M~E~ ~O~F~ ~T~H~E~ ~H~I~G~H~W~A~Y~?~ ~G~A~

R~O~U~T~E~ ~4~2~4~ ~G~A~

O~K~ ~R~O~U~T~E~ ~4~2~4~.~.~.~~~~~ W~H~E~R~E~ ~O~N~ ~4~2~4~?~~~~~ D~O~
~Y~O~U~ ~S~E~E~ ~A~N~Y~ ~S~T~R~E~E~T~ ~N~A~M~E~S~ ~O~R~ ~
~L~A~N~D~M~A~R~K~S~?~ ~G~A~

N~O~ ~~~~~I~ ~W~A~S~ ~O~N~ ~R~O~U~T~E~ ~5~0~ ~A~N~D~ ~G~O~T~ ~O~F~F~ ~A~T~
~4~2~4~ ~~~~~~A~N~D~ ~I~ ~A~M~ ~A~B~O~U~T~ ~
~T~W~O~ ~M~I~L~E~S~ ~A~W~A~Y~ ~F~R~O~M~ ~ ~R~O~U~T~E~ ~5~0~ ~G~A~

A~R~E~ ~Y~O~U~ ~N~O~R~T~H~ ~O~R~ ~S~O~U~T~H~ ~O~F~ ~R~O~U~T~E~ ~5~0~ ~G~A~

I~ D~O~N~'~T~ ~K~N~O~W~ ~~~~~M~Y~ ~F~R~I~E~N~D~ ~I~S~ ~H~U~R~T~ ~G~A~

O~K~ ~I~ ~A~M~ ~S~E~N~D~I~N~G~ ~P~O~L~I~C~E~ ~A~N~D~ ~A~M~B~U~L~A~N~C~E~ ~T~O~
~R~O~U~T~E~ ~4~2~4~ ~N~E~A~R~ ~R~O~U~T~E~ ~5~0~ ~
~~~~~I~S~ ~Y~O~U~R~ ~F~R~I~E~N~D~ ~C~O~N~S~C~I~O~U~S~ ~A~N~D~  
~B~R~E~A~T~H~I~N~G~?~ ~G~A~

H~E~ ~I~S~ ~B~L~E~E~D~I~N~G~ ~A~N~D~ ~S~T~U~C~K~ ~I~N~ ~T~H~E~ ~C~A~R~ ~G~A~

9~1~1~ ~P~O~L~I~C~E~ ~A~N~D~ ~F~I~R~E~ ~G~A~

H~E~L~L~O~ ~I~ ~A~M~ ~I~N~ ~M~Y~ ~C~A~R~ ~A~N~D~ ~H~A~D~ ~T~O~ ~P~U~L~L~  
~O~V~E~R~ ~A~S~ ~M~Y~ ~R~I~G~H~T~ ~L~E~G~ ~I~S~ ~F~E~E~L~I~N~G~ ~  
~N~U~M~B~ ~A~N~D~ ~I~ ~C~A~N~'~T~ ~D~R~I~V~E~ ~~~~~~I~ ~T~H~I~N~K~ ~I~  
~N~E~E~D~ ~H~E~L~P~ ~F~R~O~M~ ~A~ ~D~O~C~T~O~R~ G~A~

W~H~E~R~E~ ~A~R~E~ ~Y~O~U~ ~L~O~C~A~T~E~D~?~ ~G~A~

I~'~M~ ~I~N~ ~T~H~E~ ~4~3~0~0~ ~B~L~O~C~K~ ~O~F~ ~F~A~L~L~S~ ~R~O~A~D~ ~N~E~A~R~  
~A~ ~7~--~1~1~ ~S~T~O~R~E~ ~G~A~

O~K~~~~~~ 4~3~0~0~ ~B~L~O~C~K~ ~O~F~ ~F~A~L~L~S~ ~R~D~, ~~~~~~W~H~A~T~  
~K~I~N~D~ ~O~F~ ~C~A~R~ ~A~R~E~ ~Y~O~U~ ~D~R~I~V~I~N~G~?~ ~G~A~  
I~T~ ~I~S~ ~A~ ~1~9~9~3~ ~N~I~S~S~A~N~ ~3~0~0~ ~Z~X~ ~G~A~

W~H~A~T~ ~C~O~L~O~R~?~ ~G~A~

B~L~U~E~ ~G~A~

I~ ~A~M~ ~S~E~N~D~I~N~G~ ~A~N~ ~A~M~B~U~L~A~N~C~E~ ~N~O~W~~~~~ D~O~ ~Y~O~U~  
~H~A~V~E~ ~A~ ~H~I~S~T~O~R~Y~ ~O~F~ ~T~H~I~S~ ~  
~T~Y~P~E~ ~O~F~ ~H~E~A~L~T~H~ ~P~R~O~B~L~E~M~ ~Q~ ~G~A~

I~ ~H~A~D~ ~A~ ~S~T~R~O~K~E~ ~L~A~S~T~ ~Y~E~A~R~ ~~~~~B~U~T~ ~W~A~S~ ~F~I~N~E~  
~A~F~T~E~R~ ~A~B~O~U~T~ ~A~ ~W~E~E~K~ ~G~A~

O~K~ ~S~T~A~Y~ ~C~A~L~M~ ~A~N~D~ ~T~R~Y~ ~T~O~ ~R~E~L~A~X~ ~G~A~

O~K~ ~S~K~

A~M~E~R~I~C~A~N~ ~A~I~R~L~I~N~E~S~ ~~~~~~ H~O~W~ ~C~A~N~ ~I~ ~H~E~L~P~ ~Y~O~U~  
~Q~ ~G~A~

H~E~L~L~O~ ~I~ ~A~M~ ~S~T~U~C~K~ ~I~N~ ~T~R~A~F~F~I~C~ ~A~N~D~ ~W~I~L~L~  
~M~I~S~S~ ~M~Y~ ~7~:~3~0~ ~A~.~M~.~ ~F~L~I~G~H~T~ ~T~O~ ~D~A~L~L~A~S~  
~~~~~I~ ~N~E~E~D~ ~T~O~ ~R~E~S~C~H~E~D~U~L~E~ ~ ~G~A~

~O~K~,~ ~~~~W~H~E~R~E~ ~A~R~E~ ~Y~O~U~ ~D~E~P~A~R~T~I~N~G~ ~F~R~O~M~?~ ~G~A~

D~U~L~L~E~S~ ~A~I~R~P~O~R~T~ ~~~~~ I~N~ ~W~A~S~H~I~N~G~T~O~N~ ~D~C~ ~G~A~

W~H~A~T~ ~I~S~ ~Y~O~U~R~ ~N~A~M~E~ ~P~L~S~?~ ~G~A~

B~R~A~D~ ~M~U~R~P~H~Y~ ~G~A~

O~K~ ~M~R~ ~M~U~R~P~H~Y~,~ ~I~ ~C~A~N~ ~R~E~B~O~O~K~ ~Y~O~U~ ~O~N~ ~A~A~
~F~L~I~G~H~T~ ~1~5~8~7~ ~L~E~A~V~I~N~G~ ~D~U~L~L~E~S~ ~F~O~R~ ~
~D~A~L~L~A~S~ ~A~T~ ~1~0~:~4~5~ ~A~M~ ~T~O~D~A~Y~ ~~~~~~Y~O~U~ ~W~O~U~L~D~
~H~A~V~E~ ~T~O~ ~P~A~Y~ ~A~ ~\$~5~0~ ~
~P~E~N~A~L~T~Y~ ~A~N~D~ ~T~H~E~ ~F~A~R~E~ ~F~O~R~ ~T~H~E~ ~N~E~W~ ~F~L~I~G~H~T~
~I~S~ ~\$~1~2~5~ ~M~O~R~E~ ~T~H~A~N~ ~T~H~E~ ~
~O~R~I~G~I~N~A~L~ ~F~L~I~G~H~T~.~.~. ~~~~~~S~O~ ~Y~O~U~ ~W~I~L~L~ ~N~E~E~D~
~T~O~ ~P~A~Y~ ~T~H~E~ ~A~D~D~I~T~I~O~N~A~L~ ~\$~1~7~5~ ~
~W~H~E~N~ ~Y~O~U~ ~G~E~T~ ~T~O~ ~T~H~E~ ~A~I~R~P~O~R~T~ ~G~A~

H~M~M~M~.~.~.~ ~~~~~~O~K~ ~W~E~L~L~ ~I~ ~H~A~V~E~ ~N~O~ ~C~H~O~I~C~E~
~S~O~ ~P~L~S~ ~G~O~ ~A~H~E~A~D~ ~A~N~D~ ~
~B~O~O~K~ ~T~H~E~ ~N~E~W~ ~F~L~I~G~H~T~ ~G~A~

~I~ ~H~A~V~E~ ~C~H~A~N~G~E~D~ ~Y~O~U~R~ ~R~E~S~E~R~V~A~T~I~O~N~ ~A~N~D~
~T~H~A~N~K~ ~Y~O~U~ ~F~O~R~ ~C~A~L~L~I~N~G~ ~
~A~M~E~R~I~C~A~N~ ~A~I~R~L~I~N~E~S~ ~G~A~

~T~H~A~N~K~ ~Y~O~U~ ~V~E~R~Y~ ~M~U~C~H~ ~B~Y~E~ ~S~K~S~K~

E~N~D~ ~T~T~Y~ ~S~L~O~W~ ~T~Y~P~I~S~T~ ~S~C~R~I~P~T~ ~S~K~

(long script v1.txt)

BEGIN LONG TTY SCRIPT GA

911 POLICE AND FIRE GA

I HIT A TREE WITH MY CAR ~~~MY FRIEND IS HURT SEND HELP PLS GA

WHAT IS YOUR ADDRESS? GA

I AM CALLING ON A CELL PHONE TTY I'M ON A ROAD GA

WHAT IS THE NAME OF THE HIGHWAY? GA

ROUTE 424 GA

OK ROUTE 424...~~~~~ WHERE ON 424?~~~ DO YOU SEE ANY STREET NAMES OR LANDMARKS? GA

NO ~~~I WAS ON ROUTE 50 AND GOT OFF AT 424 ~~~~~~AND I AM ABOUT TWO MILES AWAY FROM ROUTE 50 GA

ARE YOU NORTH OR SOUTH OF ROUTE 50 GA

I DON'T KNOW ~~~~~MY FRIEND IS HURT GA

OK I AM SENDING POLICE AND AMBULANCE TO ROUTE 424 NEAR ROUTE 50 ~~~IS YOUR FRIEND CONSCIOUS AND BREATHING? GA

HE IS BLEEDING AND STUCK IN THE CAR GA

9~1~1~ ~P~O~L~I~C~E~ ~A~N~D~ ~F~I~R~E~ ~G~A~

H~E~L~L~O~ ~I~ ~A~M~ ~I~N~ ~M~Y~ ~C~A~R~ ~A~N~D~ ~H~A~D~ ~T~O~ ~P~U~L~L~ ~O~V~E~R~ ~A~S~ ~M~Y~ ~R~I~G~H~T~ ~L~E~G~ ~I~S~ ~

F~E~E~L~I~N~G~ ~N~U~M~B~ ~A~N~D~ ~I~ ~C~A~N~'~T~ ~D~R~I~V~E~ ~ ~I~ ~T~H~I~N~K~ ~I~ ~N~E~E~D~ ~H~E~L~P~ ~F~R~O~M~ ~A~ ~

D~O~C~T~O~R~ ~G~A~

W~H~E~R~E~ ~A~R~E~ ~Y~O~U~ ~L~O~C~A~T~E~D~?~ ~G~A~

I~'~M~ ~I~N~ ~T~H~E~ ~4~3~00 ~B~L~O~C~K~ ~O~F~ ~F~A~L~L~S~ ~R~O~A~D~ ~N~E~A~R~ ~A~ ~7~-1~1~ ~S~T~O~R~E~ ~G~A~

O~K~ ~4~3~00 ~B~L~O~C~K~ ~O~F~ ~F~A~L~L~S~ ~R~D~,~ ~W~H~A~T~ ~K~I~N~D~ ~O~F~ ~C~A~R~ ~A~R~E~ ~Y~O~U~ ~D~R~I~V~I~N~G~?~ ~

G~A~

I~T~ ~I~S~ ~A~ ~1~9~9~3~ ~N~I~S~S~A~N~ ~3~00 ~Z~X~ ~G~A~

W~H~A~T~ ~C~O~L~O~R~?~ ~G~A~

B~L~U~E~ ~G~A~

I~ ~A~M~ ~S~E~N~D~I~N~G~ ~A~N~ ~A~M~B~U~L~A~N~C~E~ ~N~O~W~ ~ ~D~O~ ~Y~O~U~ ~H~A~V~E~ ~A~ ~H~I~S~T~O~R~Y~ ~O~F~ ~T~H~I~S~

~ ~T~Y~P~E~ ~O~F~ ~H~E~A~L~T~H~ ~P~R~O~B~L~E~M~ ~Q~ ~G~A~

I~ ~H~A~D~ ~A~ ~S~T~R~O~K~E~ ~L~A~S~T~ ~Y~E~A~R~ ~B~U~T~ ~W~A~S~ ~F~I~N~E~ ~A~F~T~E~R~ ~A~B~O~U~T~ ~A~ ~W~E~E~K~ ~G~A~

O~K~ ~S~T~A~Y~ ~C~A~L~M~ ~A~N~D~ ~T~R~Y~ ~T~O~ ~R~E~L~A~X~ ~G~A~

O~K~ ~S~K~

AMERICAN AIRLINES~~~~~ HOW CAN I HELP YOU Q GA

HELLO I AM STUCK IN TRAFFIC AND WILL MISS MY 7:30 A.M. FLIGHT TO DALLAS
~~~~~I NEED TO RESCHEDULE MY FLIGHT GA

OK, ~~~WHERE ARE YOU DEPARTING FROM? GA

DULLES AIRPORT~~~ IN WASHINGTON DC GA

WHAT IS YOUR NAME PLS? GA

BRAD MURPHY GA

OK MR MURPHY, I CAN REBOOK YOU ON AA FLIGHT 1567 LEAVING DULLES FOR  
DALLAS AT 10:45 AM TODAY ~~~~~YOU WOULD HAVE TO PAY A \$50  
PENALTY AND THE FARE FOR THE NEW FLIGHT IS \$125 MORE THAN THE ORIGINAL  
FLIGHT... ~~~~~SO YOU WILL NEED TO PAY THE ADDITIONAL \$175 WHEN YOU  
GET TO THE AIRPORT GA

HMMM... ~~~~~OK WELL I HAVE NO CHOICE SO PLS GO AHEAD AND BOOK  
THE NEW FLIGHT GA

I HAVE CHANGED YOUR RESERVATION AND THANK YOU FOR CALLING AMERICAN  
AIRLINES GA

THANK YOU VERY MUCH BYE SKSK

A~U~T~O~M~A~T~E~D~ ~E~N~T~E~R~P~R~I~S~E~S~ ~G~A~

H~E~L~L~O~ ~T~H~I~S~ ~I~S~ ~M~E~L~I~S~S~A~ ~V~A~L~E~S~Q~U~E~Z~  
~C~A~L~L~I~N~G~ ~ ~I~ ~A~P~P~L~I~E~D~ ~F~O~R~ ~T~H~E~  
~P~O~S~I~T~I~O~N~ ~O~F~ ~A~C~C~O~U~N~T~A~N~T~ ~T~H~A~T~ ~W~A~S~  
~A~D~V~E~R~T~I~S~E~D~ ~ ~I~ ~A~M~ ~C~A~L~L~I~N~G~ ~T~O~  
~A~S~K~ ~I~F~ ~Y~O~U~ ~H~A~V~E~ ~F~I~L~L~E~D~ ~T~H~E~ ~P~O~S~I~T~I~O~N~  
~Y~E~T~?~ ~G~A~

H~E~L~L~O~ ~M~S~ ~V~A~L~E~S~Q~U~E~Z~ ~ ~I~ ~N~E~E~D~ ~T~O~ ~A~S~K~  
~Y~O~U~ ~Y~O~U~R~ ~S~O~C~I~A~L~ ~S~E~C~U~R~I~T~Y~ ~

N~U~M~B~E~R~ ~T~O~ ~V~E~R~I~F~Y~ ~T~H~A~T~ ~I~T~ ~I~S~ ~Y~O~U~ ~O~N~  
~T~H~E~ ~L~I~N~E~ ~G~A~

M~Y~ ~S~S~N~ ~I~S~ ~2~2~2~ ~7~4~2~ ~2~3~7~9~ ~G~A~

P~L~S~ ~H~D~ ~ ~O~K~,~ ~I~ ~H~A~V~E~ ~L~O~C~A~T~E~D~ ~Y~O~U~ ~O~N~  
~O~U~R~ ~T~R~A~C~K~I~N~G~ ~S~Y~S~T~E~M~ ~ ~T~H~E~

~  
P~O~S~I~T~I~O~N~ ~H~A~S~ ~N~O~T~ ~B~E~E~N~ ~F~I~L~L~E~D~ ~Y~E~T~ ~A~N~D~  
~I~N~T~E~R~V~I~E~W~I~N~G~ ~I~S~ ~S~C~H~E~D~U~L~E~D~

~  
T~O~ ~B~E~G~I~N~ ~O~N~ ~N~O~V~ ~1~5~ ~G~A~

I~ ~W~O~U~L~D~ ~L~I~K~E~ ~T~O~ ~G~I~V~E~ ~Y~O~U~ ~A~ ~D~I~F~F~E~R~E~N~T~  
~P~H~O~N~E~ ~N~U~M~B~E~R~ ~T~O~ ~U~S~E~ ~... ~M~Y~

~  
N~E~W~ ~C~E~L~L~ ~P~H~O~N~E~.~ ~ ~T~H~E~ ~N~U~M~B~E~R~ ~I~S~ ~7~4~9~  
4~5~4~-2~9~5~9~.~ ~G~A~

O~K~ ~I~ ~W~I~L~L~ ~E~N~T~E~R~ ~T~H~A~T~ ~I~N~ ~T~H~E~ ~T~R~A~C~K~I~N~G~  
~R~E~C~O~R~D~.~ ~ ~A~N~Y~T~H~I~N~G~ ~E~L~S~E~?~ ~G~A~



N~O~ ~T~H~A~T~'~S~ ~A~L~L~ ~ ~I~ ~S~U~R~E~ ~H~O~P~E~ ~I~ ~W~I~L~L~  
~H~A~V~E~ ~A~ ~C~H~A~N~C~E~ ~T~O~ ~I~N~T~E~R~V~I~E~W~ ~ ~

T~H~A~N~K~ ~Y~O~U~ ~V~E~R~Y~ ~M~U~C~H~ ~F~O~R~ ~Y~O~U~R~ ~H~E~L~P~  
~G~A~

Y~O~U~ ~A~R~E~ ~Q~U~I~T~E~ ~W~E~L~C~O~M~E~ ~ ~S~M~I~L~E~ ~ ~H~A~V~E~  
~A~ ~N~I~C~E~ ~A~F~T~E~R~N~O~O~N~ ~G~A~ ~T~O~ ~S~K~

Y~O~U~ ~T~O~O~ ~S~M~I~L~E~ ~ ~B~Y~E~ ~S~K~

911 POLICE AND FIRE GA

I NEED THE POLICE SENT RIGHT AWAY GA

OK, FIRST OF ALL, ~~~WHAT IS YOUR ADDRESS? GA

7101 YATES AVENUE NORTH, ~~~~~BROOKLYN PARK GA

OK, 7101 YATES AVENUE, ~~~~~~WHAT'S GOING ON THERE? GA

I THINK SOMEONE IS IN MY BASEMENT GA

IF YOU CAN LOCK YOURSELF IN A BEDROOM, DO SO NOW.~~~~~ I AM GOING TO  
DISPATCH THE POLICE NOW, SO STAY ON THE PHONE WITH ME AND DO NOT HANG  
UP GA

I DON'T HAVE A TTY IN ANY BEDROOM GA

OK STAY WHERE YOU ARE. POLICE ARE ON THE WAY. ~~~ARE YOU HEARING ANY  
NOISES NOW? GA

I'M DEAF AND I CAN'T HEAR NOISES...~~~AND I LIVE ALONE GA

OK, I'M GOING TO KEEP YOU ON THE PHONE WITH ME UNTIL THE POLICE ARRIVE  
GA

OK GA

M~A~R~I~L~Y~N~ ~H~E~R~E~ ~G~A~

H~I~ ~H~O~N~E~Y~ ~I~T~ ~I~S~ ~T~O~D~D~.~ ~ ~I~ ~A~M~ ~O~N~ ~A~ ~T~R~A~I~N~  
~A~N~D~ ~I~T~ ~B~R~O~K~E~ ~D~O~W~N~! ~ ~A~N~D~ ~N~O~ ~

A~I~R~ ~C~O~N~D~I~T~I~O~N~I~N~G~ ~E~I~T~H~E~R~ ~ ~I~ ~D~O~N~'~T~  
~K~N~O~W~ ~W~H~E~N~ ~W~E~ ~W~I~L~L~ ~G~E~T~ ~S~T~A~R~T~E~D~ ~

A~G~A~I~N~,~ ~B~U~T~ ~I~ ~W~A~N~T~E~D~ ~T~O~ ~L~E~T~ ~U~ ~K~N~O~W~  
~G~A~

H~I~.~.~.~ ~ ~G~E~E~ ~T~H~A~T~'~S~ ~T~O~O~ ~B~A~D~... ~W~H~E~R~E~ ~D~I~D~  
~T~H~E~ ~T~R~A~I~N~ ~B~R~E~A~K~ ~D~O~W~N~ ~Q~ ~G~A~

I~T~ ~I~S~ ~B~E~T~W~E~E~N~ ~T~R~E~N~T~O~N~ ~A~N~D~  
~P~H~I~L~A~D~E~L~P~H~I~A~ ~ ~W~E~ ~H~A~V~E~ ~B~E~E~N~ ~S~T~U~C~K~ ~

H~E~R~E~ ~F~O~R~ ~5~0~ ~M~I~N~ ~A~L~R~E~A~D~Y~ ~A~N~D~ ~T~H~E~N~ ~I~T~  
~I~S~ ~2~ ~M~O~R~E~ ~H~R~S~ ~B~A~C~K~ ~H~O~M~E~.~ ~ ~S~O~ ~I~ ~

W~I~L~L~ ~P~R~O~B~A~B~L~Y~ ~B~E~ ~H~O~M~E~ ~A~F~T~E~R~ ~9~  
~O~C~L~O~C~K~.~ ~G~A~

H~M~M~M~.~.~.~ ~Y~O~U~ ~R~E~M~E~M~B~E~R~ ~T~H~A~T~ ~S~H~E~R~R~Y~  
~A~N~D~ ~P~H~I~L~ ~A~R~E~ ~C~O~M~I~N~G~ ~O~V~E~R~ ~Q~Q~ ~ ~

O~H~ ~W~E~L~L~,~ ~W~E~'~L~L~ ~S~E~E~ ~Y~O~U~ ~W~H~E~N~ ~Y~O~U~ ~G~E~T~  
~H~E~R~E~ ~G~A~

Y~E~A~H~,~ ~S~O~R~R~Y~ ~A~B~O~U~T~ ~T~H~A~T~.~ ~ ~T~R~A~V~E~L~  
~N~E~V~E~R~ ~S~E~E~M~S~ ~T~O~ ~G~O~ ~S~M~O~O~T~H~L~Y~ ~  
A~N~Y~ ~M~O~R~E~ ~G~A~

T~H~A~T~'~S~ ~T~H~E~ ~T~R~U~T~H~ ~ ~S~T~A~Y~ ~S~A~F~E~ ~A~N~D~ ~C~A~L~L~  
~M~E~ ~A~G~A~I~N~ ~I~F~ ~Y~O~U~ ~T~H~I~N~K~ ~Y~O~U~'~L~L~ ~

B~E~ ~D~E~L~A~Y~E~D~ ~M~U~C~H~ ~M~O~R~E~ ~G~A~

W~I~L~L~ ~D~O~ ~ ~B~Y~E~ ~F~O~R~ ~N~O~W~ ~ ~G~A~ ~T~O~ ~S~K~

B~Y~E~ ~S~K~

S~K~

HELLO THIS IS ROBERT LANGFORD GA

HELLO THIS IS ME JOAN AGAIN ~~~SMILE... ~~~~~THERE IS ANOTHER ERROR ON  
MARTY PORTSKY SINCE THE TOTAL OF HOURS ON THE WORKSHEET IS WRONG  
~~~IT SHOULD READ 8 HOURS INSTEAD OF 7.~~~~~ I WOULD LIKE SOMEONE WHO  
IS AUTHORIZED TO ADJUST THE WORKSHEET TO COME AND MAKE THE
CORRECTION THANKS... GA

OK BOTH THE DEAN AND HIS SECRETARY ARE ON VACATION ~~~~~I WILL
HAVE TO WAIT TILL ONE OTHER STAFF MEMBER COMES BACK FROM A MEETING
AND WILL SEND HIM DOWN TO APPROVE THE WORKSHEET ~~~~~SINCE I DO NOT
SUPERVISE THAT PERSON I CAN'T AUTHORIZE IS THAT THE LAST ONE, AND IS
THAT ALSO ACCT 8832?~~~ GA

HOLD ~~~~~CHECKING...~~~~~ NO IN THIS CASE IT'S ACCT 7832 ~~~THE
NAME OF THE ACCOUNT IS DEPARTMENT OF FOREIGN LANGUAGES GA

OK I'LL HAVE TO FIND OUT WHO IS THE BUDGET UNIT HEAD ON THAT
AND GET BACK TO YOU GA

WE WILL NEED TO HAVE THAT SOON IN ORDER TO PAY PORTSKY, ~~~SO IF
YOU FIND SOMEONE RESPONSIBLE FOR BUDGET UNDER 7832 PLEASE SEND THAT
PERSON HERE TO CHANGE THE INFO IF THERE ARE ANY QUESTIONS THEN CALL
ME AT 4040 AND ASK FOR JOAN THANKS...

SKSK

OK BYE FOR NOW SKSK

END LONG TTY SCRIPT SK

Appendix C

Testing with the Ameriphone Q90 TTY

❑ CHECK THAT ALL ITEMS ARE PRESENT:

- ❑ Q90 TTY and its AC adapter
- ❑ Six AA rechargeable or regular alkaline batteries
- ❑ Black Q90 audio 2.5mm phone cable (same plug size on both sides)
- ❑ Q90 Printer cable (gray ribbon type with metal connector on one end)
- ❑ Parallel/serial converter (Self-powered is preferred)
- ❑ Computer serial cable (9 female pins to 25 male pins)
- ❑ A laptop computer with data capture software.
- ❑ Wireless phone with 2.5mm audio jack (built-in or via adapter)

❑ Q90 PRINTER CABLE:

To attach the printer cable, turn over the Q90 TTY and plug the rectangular black connector into the slot on the bottom labeled PRINTER PORT. (If it does not fit on the first attempt, turn the connector around 180 degrees and try again.) The other end of the printer cable has a silver plug; plug it to the parallel/serial converter's printer port with the metal clips.

❑ Q90 CELLULAR CABLE:

Locate the Q90 black audio cable that has identical 2.5 mm jack plugs on each end. Plug one end into the jack labeled CELLULAR (2.5 mm). Plug the other end of the cable into the wireless phone's 2.5mm jack or handsfree adapter.

❑ LAPTOP SERIAL CABLE:

Plug the larger end of a standard computer serial cable (25 pins) into the Parallel/Serial interface box's smaller port. Plug the other end of the serial cable to the laptop's serial port. Set the parallel/serial interface to 9600 Baud and serial-out mode.

❑ Q90 BASIC OPERATIONS:

Press the POWER button on the bottom right corner of the keyboard to turn on. Press the space bar to go on-line to operate in 2.5mm audio jack mode (i.e., similar to an acoustic coupler that does not allow dialing or hanging-up). Use the wireless phone to make calls. To turn off the Q90, hold the CTRL key and POWER key at the same time and wait for about one second. It will say, "Have a nice day" and then will turn itself off.

CALLS USING Q90

After setting up the equipment, follow instructions for data collection software. The basic functions for testing with the Q90 are the same, but the tester must type the script.

You will not be able to use the auto send and auto hang-up functions. When you press the send key, a box with the first text string will pop up. This is a prompt – you need to type the text displayed. You may also simply type any text of your choosing.